








SEE DETAIL SHEET C-1

8" WATER	1993.39	LF	
FIRE HYDRANT	3.00		
6" SANITARY	730.24	LF	
8" DIP TEE	1.00		
8" DIP 45 BEND	11.00		
8" DIP 90 BEND	1.00		
8" DIP 22 1/2 BEND	1.00		
GAS SERVICE	583.79	LF	

NATURAL GAS SERVICE HOOK-UP TO BE PERFORMED BY NYSEG UNDER SEPARATE CONTRACT. NYSEG SHALL COORDINATE INSTALLATION OF SERVICE HOOK-UP AND STARTUP OF NATURAL GAS SERVICE. CONTRACTOR TO COORDINATE WITH NYSEG AND THE CONSTRUCTION MANAGER DURING CONSTRUCTION IN ORDER TO COORDINATE WITH OTHER UTILITIES.

PROPOSED 8" WATER SUPPLY FOR SERVICE TO PROPOSED FIRE HYDRANTS. WATER SUPPLY SHALL BE FURNISHED FROM WITHIN PROPOSED MECHANICAL ROOM.

CONTRACTOR TO ENSURE THAT UTILITY WORK IS COORDINATED BETWEEN TRACES AND ALL STATE AND LOCAL REGULATIONS ARE MET WHEN INSTALLING CROSSING UTILITY LINES.

PROPOSED 8" WATER SUPPLY FOR SERVICE TO PROPOSED FIRE HYDRANTS.

PROPOSED 8" WATER LINE TO CONNECT TO RELOCATED SERVICE. SEE DETAILS SHEET C-1 APPROXIMATE 1/4" @ 1/4"

SANITARY PANSOLE INSTALLED UNDER PHASE 1 WORK
 N: NY. EL: 80.00
 W: NY. EL: 80.00
 U: NY. EL: 80.00

PROPOSED FIRE HYDRANT SEE DETAIL SHEET C-1

SANITARY PANSOLE
 U NY. EL: 81.55

CONTRACTOR TO COORDINATE SERVICE LATERAL HOOK-UPS WITH NYSEG AND MUNICIPAL WATER PROVIDER. CONTRACTOR SHALL USE CAUTION IN ORDER TO AVOID DAMAGE TO ANY EXISTING PROPOSED UTILITY IN THIS AREA WHEN PERFORMING UTILITY HOOK-UPS.

6" DIAMETER SANITARY LINE.

RELOCATED WATER MAIN AND NATURAL GAS MAIN.

CHRISTA MCAULIFFE LANE

