

Village of Scottsville

Annual Energy Benchmarking Report

January 1, 2022 – December 31, 2022

OVERVIEW

This annual report is used to track municipal buildings' energy performance and is created in compliance with a passed Resolution on April 9, 2024. Comparisons between annual reports can provide insights into energy use, including potential cost savings. This report includes only municipal buildings larger than 1,000 sq. ft.

PROPERTY INFORMATION

This table provides basic information about each municipal building over 1,000 sq. ft. in size.

Property Name	Address	Gross Property Area (ft ²)
Johnson Park Lodge	3 Browns Ave. Scottsville, NY 14546	1,000 sq. ft.
Scottsville Maintenance Building	4260 River Rd. Scottsville, NY 14546	4,000 sq. ft.
Scottsville Village Garage	389 Scottsville Mumford Rd. Scottsville, NY 14546	6,200 sq. ft.

ENERGY STAR SCORE

The ENERGY STAR Score is a measure of how well your property is performing relative to similar properties, when normalized for climate and operational characteristics. A 1-100 scale is used so that 1 represents the worst performing buildings and 100 represents the best performing buildings. A score may not be available for certain properties because of use type or insufficient information.

Property Name	Year	ENERGYSTAR Score
Johnson Park Lodge	2022	N/A
Scottsville Maintenance Building	2022	N/A
Scottsville Village Garage	2022	N/A

SITE EUI

The Site Energy Use divided by the property square foot. Site Energy is the annual amount of all the energy your property consumes onsite, as reported on your utility bills. Use Site Energy to understand how the energy use for an individual property has changed over time.

Property Name	Year	Site EUI (kBtu/ ft ²)
Johnson Park Lodge	2022	55.5
Scottsville Maintenance Building	2022	25.2
Scottsville Village Garage	2022	56

GREENHOUSE GAS EMISSIONS

Gases that trap heat in the atmosphere are called greenhouse gases. This number includes both direct greenhouse gases, which comes from burning fossil fuels like oil, propane and natural gas, and indirect emissions like electricity.

Property Name	Year	Total (Location Based) GHG Emissions (Metric Tons CO₂e)
Johnson Park Lodge	2022	2.4
Scottsville Maintenance Building	2022	5
Scottsville Village Garage	2022	17.9