

Test by: North Iowa F.I.R.S.T., Inc. Sanborn, IA

2022 Corn Grain Top 30 Harvest Report

Nebraska Northeast [NENE] WAYNE, NE
Kelly Meyer, Wayne County, NE 68787

| | |
|-------------------------------|--|
| Early-Season Test | 105 - 110 Day CRM B2022NENE03a |
| Top 30 of 48 | For Gross Income (Sorted by Yield) Average of (3) Replications |
| PREV. CROP/HERB: | Soybeans / Dicamba, Prowl, Sencor, Liberty, Fusilade |
| SOIL DESCRIPTION: | Nora silt loam, well drained, non-irrigated |
| SOIL CONDITION: | No-Till, very high P, very high K, 7.8 pH, 2.3% OM, 25.7 CEC |
| PEST MANAGEMENT: | Harness Xtra, Sharpen, Atrazine, Roundup Powermax 3, Callisto |
| FERTILITY - Applied N: | 12 Fall, 120 Spring |
| Applied N-P-K (units): | 132-64-44 |
| SEEDED - RATE - ROW: | May 20 35.7 /A 30" spacing |
| HARVESTED - STAND: | Oct 15 31.9 /A |

TEST COMMENTS:

This county is one of the driest areas in northeast Nebraska. It has been a year of drought which has increased in intensity over the course of the growing season. Kelly reported on Aug 5 that they had less than 2" of rain since planting. As of the Oct 13 drought monitor, all of Wayne county is classified in exceptional drought. Given the conditions, this dryland corn was challenged with stress during pollination and grain fill. A few little showers in mid to late August were recorded but the moisture didn't last long. Plants were showing signs of stalk deterioration at harvest, but most were standing well. Grain from a few of the later maturing hybrids was still shelling in the mid-20s to 30 percent moisture.

| Company/Brand | Product/Brand | Technol.† | RM | Yield Bu/A ↓ | Moisture % | Lodging % | Stand (x 1000) | Gross Income \$/Acre | Rank |
|--|--------------------|-----------|------------|---------------------------------------|---------------|--------------|-------------------|-------------------------|------------|
| Heine | 8108 ↗ | VT2P | 110 | 128.4 | 18.5 | 0 | 31.9 | 862 | 2 |
| Channel | 207-87VT2PRIB GC ↗ | VT2P | 107 | 127.3 | 15.4 | 0 | 32.4 | 864 | 1 |
| Hefty | H5862 ↗ | VT2P | 108 | 126.9 | 20.9 | 0 | 31.9 | 844 | 5 |
| Hefty | H5952 ↗ | VT2P | 109 | 126.4 | 18.1 | 0 | 31.2 | 850 | 3 |
| Integra | 5802 VT2PRIB ↗ | VT2P | 108 | 125.0 | 14.8 | 0 | 32.2 | 850 | 4 |
| DeKalb | DKC58-35RIB GC ↗ | VT2P | 108 | 124.8 | 17.5 | 0 | 31.4 | 841 | 6 |
| Hoegemeyer | 7523 Q ↗ | QR | 105 | 124.3 | 16.5 | 0 | 31.4 | 841 | 7 |
| Dyna-Gro | D50VC09RIB ↗ | VT2P | 110 | 122.5 | 16.4 | 0 | 31.9 | 829 | 8 |
| Dyna-Gro | D48VC84 ↗ | VT2P | 108 | 122.5 | 17.1 | 0 | 31.9 | 826 | 9 |
| NK Brand | NK0877-V ↗ | V | 108 | 122.4 | 21.5 | 0 | 32.4 | 813 | 15 |
| Four Star | 6D59 ↗ | VT2P | 110 | 121.9 | 20.2 | 1 | 32.5 | 813 | 16 |
| Latham | LH 6097 VT2P RIB ↗ | VT2P | 110 | 121.9 | 22.3 | 0 | 32.0 | 807 | 18 |
| Heine | 7925 SS ↗ | STX | 109 | 121.6 | 17.0 | 0 | 32.2 | 821 | 11 |
| Rob-See-Co | RC6038-3220A ↗ | V | 110 | 121.5 | 16.0 | 0 | 31.2 | 823 | 10 |
| Augusta | A1259-5222 GC ↗ | DV | 109 | 121.3 | 17.9 | 0 | 30.6 | 816 | 12 |
| Pioneer | P0953AM GC ↗ | AM | 109 | 121.3 | 17.9 | 0 | 32.2 | 816 | 13 |
| Golden Harvest | G09T26-AA ↗ | AA | 109 | 120.8 | 20.9 | 3 | 32.9 | 804 | 20 |
| Hefty | H5655 ↗ | TRE | 106 | 120.2 | 16.1 | 0 | 32.1 | 814 | 14 |
| Hefty | H5832 ↗ | VT2P | 108 | 120.1 | 18.2 | 0 | 29.5 | 807 | 19 |
| Dyna-Gro | D49VC53 ↗ | VT2P | 109 | 119.9 | 17.3 | 0 | 32.3 | 809 | 17 |
| DeKalb | DKC56-65RIB GC ↗ | STX | 106 | 118.7 | 16.3 | 0 | 32.2 | 803 | 21 |
| Renk | RK700SSTX ↗ | STX | 108 | 118.2 | 15.7 | 0 | 32.9 | 802 | 22 |
| Augusta | A1359 VT2P GC ↗ | VT2P | 108 | 117.0 | 17.9 | 0 | 32.6 | 787 | 23 |
| NK Brand | NK1082-DV ↗ | DV | 110 | 116.2 | 18.1 | 0 | 32.8 | 781 | 26 |
| Hoegemeyer | 8052 Q ↗ | QR | 110 | 116.2 | 18.5 | 8 | 28.3 | 780 | 28 |
| Golden Harvest | G10L16-DV ↗ | DV | 110 | 116.0 | 18.1 | 16 | 31.3 | 780 | 29 |
| Latham | LH 5725 VT2P RIB ↗ | VT2P | 107 | 115.9 | 17.6 | 0 | 31.6 | 781 | 27 |
| Integra | 5719 VT2PRIB ↗ | VT2P | 107 | 115.7 | 16.0 | 0 | 32.0 | 784 | 25 |
| Pioneer | P0622Q GC ↗ | QR | 106 | 115.7 | 17.2 | 0 | 30.4 | 780 | 30 |
| DeKalb | DKC59-81RIB GC ↗ | STX | 109 | 115.7 | 14.7 | 0 | 32.2 | 787 | 24 |
| PIONEER | P1197AM CK | AM | 111 | 111.3 | 19.7 | 0 | 31.7 | 744 | 36 |
| | | | | Averages = | 115.4 | 17.6 | 2 | 31.9 | 777 |
| | | | | LSD (0.10) = | 6.8 | 1.4 | ns | | |
| | | | | LSD (0.25) = | 3.6 | 0.7 | ns | | |
| | | | | C.V. = | 5.6 | | | | |
| Corey Rozenboom | | | | Historic yield: 210.64 bu/a, 10 yr(s) | | | | | |
| corey.rozenboom@firstseedtests.com, (319) 830-8886 | | | | | | | | | |

Yield & Income Factors: Base Moisture = 15.0% Shrink = 1.3 Drying = \$0.025 Prices: GMO = \$6.80

Report Date: 10/16/2022

† See last page for abbreviation descriptions. Dark colored row identifies the check product found in early- and full-season tests. **Bold** yields are significantly above test average by LSD(0.10). **Italicized** brands exceed the grain moisture limit for this test. **ns** = column values not significantly different. ↗ Links to full product yield results at www.firstseedtests.com

©2022, All rights reserved by Elite Field Genetics, LLC

Additional reports available at www.firstseedtests.com

Test by: North Iowa F.I.R.S.T., Inc. Sanborn, IA

2022 Corn Grain Top 30 Harvest Report

Nebraska Northeast [NENE] WAYNE, NE
Kelly Meyer, Wayne County, NE 68787

| | |
|-------------------------------|--|
| Full-Season Test | 111 - 115 Day CRM B2022NENE03b |
| Top 30 of 48 | For Gross Income (Sorted by Yield) Average of (3) Replications |
| PREV. CROP/HERB: | Soybeans / Dicamba, Prowl, Sencor, Liberty, Fusilade |
| SOIL DESCRIPTION: | Nora silt loam, well drained, non-irrigated |
| SOIL CONDITION: | No-Till, very high P, very high K, 7.8 pH, 2.3% OM, 25.7 CEC |
| PEST MANAGEMENT: | Harness Xtra, Sharpen, Atrazine, Roundup Powermax 3, Callisto |
| FERTILITY - Applied N: | 12 Fall, 120 Spring |
| Applied N-P-K (units): | 132-64-44 |
| SEEDED - RATE - ROW: | May 20 35.7 /A 30" spacing |
| HARVESTED - STAND: | Oct 15 32.1 /A |

TEST COMMENTS:

This county is one of the driest areas in northeast Nebraska. It has been a year of drought which has increased in intensity over the course of the growing season. Kelly reported on Aug 5 that they had less than 2" of rain since planting. As of the Oct 13 drought monitor, all of Wayne county is classified in exceptional drought. Given the conditions, this dryland corn was challenged with stress during pollination and grain fill. A few little showers in mid to late August were recorded but the moisture didn't last long. Plants were showing signs of stalk deterioration at harvest, but most were standing well. Grain from a few of the later maturing hybrids was still shelling in the mid-20s to 30 percent moisture.

| Company/Brand | Product/Brand | Technol.† | RM | Yield Bu/A ↓ | Moisture % | Lodging % | Stand (x 1000) | Gross Income \$/Acre | Rank |
|--|-------------------|-----------|------------|---------------------------------------|--------------|-------------|----------------|----------------------|------------|
| Wyffels | W7536DGRIB ↗ | VT2PDG | 112 | 164.6 | 22.1 | 0 | 31.8 | 1090 | 1 |
| Dyna-Gro | D52DC82RIB ↗ | VT2PDG | 112 | 159.3 | 21.8 | 0 | 32.5 | 1056 | 3 |
| Heine | 8370 ↗ | VT2PDG | 113 | 159.2 | 21.1 | 0 | 31.8 | 1058 | 2 |
| Hefty | H6263 ↗ | VT2PDG | 112 | 155.6 | 21.0 | 0 | 32.5 | 1035 | 4 |
| ProHarvest | 83P33 DGVT2PRIB ↗ | VT2PDG | 113 | 153.8 | 22.8 | 0 | 32.5 | 1016 | 5 |
| NK Brand | NK1188-D ↗ | D | 111 | 145.4 | 21.4 | 0 | 32.5 | 965 | 6 |
| Renk | RK907SSTX ↗ | STX | 115 | 145.4 | 22.4 | 0 | 32.5 | 962 | 8 |
| ProHarvest | 82P29 VT2PRIB ↗ | VT2P | 112 | 144.3 | 20.1 | 0 | 31.3 | 963 | 7 |
| Heine | 8260 ↗ | STX | 112 | 142.6 | 20.8 | 0 | 31.9 | 949 | 9 |
| Dyna-Gro | D54VC34RIB ↗ | VT2P | 114 | 141.5 | 23.2 | 16 | 31.9 | 933 | 11 |
| Hoegemeyer | 8303 AM ↗ | AM | 113 | 141.0 | 21.5 | 0 | 32.5 | 936 | 10 |
| Heine | 844VT2PRIB ↗ | VT2P | 112 | 140.9 | 23.1 | 0 | 32.5 | 930 | 12 |
| ProHarvest | 8360 VT2PRIB ↗ | VT2P | 113 | 138.6 | 23.6 | 0 | 32.5 | 913 | 13 |
| Pioneer | P1185AM GC ↗ | AM | 111 | 135.4 | 22.9 | 0 | 32.5 | 894 | 15 |
| Four Star | EXP 2277 ↗ | TRE | 115 | 134.7 | 23.9 | 0 | 32.3 | 886 | 18 |
| Renk | RK940SSTX ↗ | STX | 115 | 134.5 | 21.0 | 16 | 32.5 | 894 | 16 |
| Hefty | H6355 ↗ | TRE | 113 | 134.5 | 18.2 | 0 | 31.7 | 904 | 14 |
| Pioneer | P1244AM GC ↗ | AM,AQ | 112 | 134.1 | 21.0 | 12 | 32.5 | 892 | 17 |
| Integra | 6555 VT2PRIB ↗ | VT2P | 115 | 133.0 | 28.0 | 0 | 31.6 | 861 | 20 |
| Channel | 212-60TRERIB GC ↗ | TRE | 112 | 130.8 | 20.9 | 0 | 32.1 | 870 | 19 |
| Integra | 6410 VT2PRIB ↗ | VT2P | 114 | 129.8 | 23.5 | 0 | 31.0 | 855 | 21 |
| Integra | 6588 VT2PRIB ↗ | VT2P | 115 | 127.7 | 27.5 | 0 | 32.4 | 829 | 24 |
| Hoegemeyer | 8454 Q ↗ | QR | 114 | 126.8 | 20.9 | 3 | 31.4 | 843 | 22 |
| Innqvist | A1192 ↗ | STX | 111 | 125.6 | 22.6 | 0 | 28.6 | 830 | 23 |
| Wyffels | W8306 ↗ | VT2P | 115 | 125.1 | 27.1 | 0 | 32.5 | 813 | 30 |
| ProHarvest | 84P78 TRERIB ↗ | TRE | 114 | 125.1 | 24.3 | 0 | 32.5 | 821 | 27 |
| Channel | 213-19STXRIB GC ↗ | STX | 113 | 124.6 | 23.1 | 0 | 32.4 | 822 | 26 |
| Hefty | H6145 TRERIB ↗ | TRE | 111 | 124.0 | 20.4 | 0 | 32.3 | 827 | 25 |
| Rob-See-Co | RC6170-5122 ↗ | D | 111 | 123.7 | 22.2 | 5 | 32.4 | 819 | 28 |
| Four Star | EXP 2264 ↗ | TRE | 112 | 123.6 | 21.9 | 0 | 32.0 | 819 | 29 |
| PIONEER | P1197AM CK | AM | 111 | 118.6 | 22.0 | 0 | 32.1 | 786 | 38 |
| | | | | Averages = | 129.4 | 22.8 | 2 | 32.1 | 855 |
| | | | | LSD (0.10) = | 10.7 | 2.0 | ns | | |
| | | | | LSD (0.25) = | 5.6 | 1.0 | ns | | |
| | | | | C.V. = | 7.8 | | | | |
| Corey Rozenboom | | | | Historic yield: 210.64 bu/a, 10 yr(s) | | | | | |
| corey.rozenboom@firstseedtests.com, (319) 830-8886 | | | | | | | | | |

Yield & Income Factors: Base Moisture = 15.0% Shrink = 1.3 Drying = \$0.025 Prices: GMO = \$6.80

Report Date: 10/16/2022

† See last page for abbreviation descriptions. Dark colored row identifies the check product found in early- and full-season tests. **Bold** yields are significantly above test average by LSD(0.10). **Italicized** brands exceed the grain moisture limit for this test. **ns** = column values not significantly different. ↗ Links to full product yield results at www.firstseedtests.com

©2022, All rights reserved by Elite Field Genetics, LLC


Additional reports available at www.firstseedtests.com

2022 Corn - Nebraska Northeast [NENE]

Weather Conditions Summary at WAYNE, NE

Weather Data Retrieved: 10/16/2022

| Monthly Total | May* | Jun | Jul | Aug | Sep | Oct* | Total |
|-----------------------------|------------------|------------------|------------------|------------------|------------------|------------------|--------------------|
| Precip (in) Normal (Diff) | 3.0 3.3 (-0.2) | 1.4 4.6 (-3.2) | 1.9 2.9 (-1.1) | 1.9 4.3 (-2.4) | 1.1 2.5 (-1.4) | 0.0 1.9 (-1.9) | 9.3 19.5 (-10.2) |
| GDU Normal (Diff) | 346 289 (+56) | 618 650 (-32) | 744 728 (+15) | 652 638 (+13) | 504 465 (+38) | 135 93 (+41) | 2999 2865 (+133) |



* First monthly total starts on the date 14 days prior to planting and final monthly total ends on the harvest date.

Note: Weather information from PRISM Climate Group. Data may be revised by the provider after retrieval. FIRST will not revise or update reports to reflect any weather data changes. For information purposes only.

2022 Corn - Nebraska Northeast [NENE]

Early-Season Test Products (48 Total)

| Company/Brand | Product/Brand | Technology | RIB | RM | Seed Treat. |
|----------------|------------------|------------|-----|-----|--------------------|
| Augusta | A1259-5222 GC | DV | Y* | 109 | AVC,C2 |
| Augusta | A1359 VT2P GC | VT2P | N | 108 | CM,C2 |
| Channel | 207-87VT2PRIB GC | VT2P | Y | 107 | AC,P5,B360 |
| Channel | 209-89STXRIB GC | STX | Y | 109 | AC,P5V,EDC-EL |
| DeKalb | DKC56-65RIB GC | STX | Y | 106 | AC,P5 |
| DeKalb | DKC58-35RIB GC | VT2P | Y | 108 | AC,P5 |
| DeKalb | DKC59-81RIB GC | STX | Y | 109 | AC,P5V,EDC-EL |
| Dyna-Gro | D48VC84 | VT2P | N | 108 | AC,P5V |
| Dyna-Gro | D49VC53 | VT2P | N | 109 | AC,P5V |
| Dyna-Gro | D50VC09RIB | VT2P | N | 110 | AC,P5V |
| Four Star | 6D52RIB | VT2P | Y | 110 | AC,P2 |
| Four Star | 6D59 | VT2P | Y | 110 | AC,P2 |
| Golden Harvest | G09T26-AA | AA | Y | 109 | AVC,C2,CM,C5,Vi,Va |
| Golden Harvest | G10L16-DV | DV | Y | 110 | AVC,C2,CM,C5,Vi,Va |
| Hefty | H5655 | TRE | N | 106 | HC |
| Hefty | H5832 | VT2P | N | 108 | HC |
| Hefty | H5862 | VT2P | N | 108 | HC |
| Hefty | H5944 | STX | N | 109 | HC |
| Hefty | H5952 | VT2P | N | 109 | HC |
| Heine | 7925 SS | STX | N | 109 | AC,P5V,EDC-EL |
| Heine | 7950STXRIB | STX | Y* | 109 | P5V |
| Heine | 8010VT2P | VT2P | Y* | 110 | AC,P2 |
| Heine | 8108 | VT2P | N | 110 | AC,P5V,EDC-EL |
| Heine | 8110 | STX | N | 110 | AC,P5V |
| Hoegemeyer | 7523 Q | QR | Y | 105 | Lum, L1 |
| Hoegemeyer | 7843 AM | AM | Y | 108 | Lum, L1 |
| Hoegemeyer | 8052 Q | QR | Y | 110 | Lum, L1 |
| Inn victis | A0842 | STX | N | 108 | AC,P5V,EDC-B |
| Inn victis | A0851 | VT2P | N | 108 | Treated |
| Inn victis | A1062 | TRE | N | 110 | Treated |
| Integra | 5719 VT2PRIB | VT2P | Y | 107 | AC,P5V,SU+Zn |
| Integra | 5802 VT2PRIB | VT2P | Y | 108 | AC,P5V,SU+Zn |
| Integra | 6061 TRERIB | TRE | Y | 110 | AC,P5V,SU+Zn |
| Latham | LH 5635 VT2P RIB | VT2P | Y | 106 | AC,P2 |
| Latham | LH 5646 PCE | PC,E | N | 106 | AVC,C5,Vi,Va |
| Latham | LH 5725 VT2P RIB | VT2P | Y | 107 | AC,P2 |
| Latham | LH 5847 VT2P RIB | VT2P | Y | 108 | AC,P2 |
| Latham | LH 6097 VT2P RIB | VT2P | Y | 110 | AC,P2 |
| NK Brand | NK0877-V | V | Y | 108 | AVC,C2,CM,C5,Vi,Va |
| NK Brand | NK1082-DV | DV | Y | 110 | AVC,C2,CM,C5,Vi,Va |
| Pioneer | P0622Q GC | QR | Y | 106 | Lum, L1 |
| Pioneer | P0953AM GC | AM | Y | 109 | Lum, L1 |

| Company/Brand | Brand/Product | Technology | RIB | RM | Seed Treat. |
|---------------|---------------|------------|-----|-----|-------------|
| Pioneer | P1197AM CK | AM | Y | 111 | Lum, L1 |
| Renk | RK700SSTX | STX | N | 108 | AC,P5V |
| Renk | RK774VT2P | VT2P | N | 108 | AC,P2 |
| Renk | RK801SSTX | STX | N | 110 | AC,P5V |
| Renk | RK805VT2P | VT2P | N | 110 | AC,P2 |
| Rob-See-Co | RC6038-3220A | V | Y | 110 | CM,C2,Vi |

* FIRST does not inspect products for refuge blend. N* indicates the product was entered without a refuge component by the sponsoring seed company. Prior year entries may contain refuge blend.

2022 Corn - Nebraska Northeast [NENE]

Full-Season Test Products (48 Total)

| Company/Brand | Product/Brand | Technology | RIB | RM | Seed Treat. |
|----------------|-----------------|------------|-----|-----|--------------------|
| Channel | 212-60TRERIB GC | TRE | Y | 112 | AC,P5,B360 |
| Channel | 213-19STXRIB GC | STX | Y | 113 | AC,P5V,EDC-B |
| DeKalb | DKC62-22RIB GC | VT2P | Y | 112 | AC,P5 |
| Dyna-Gro | D52DC82RIB | VT2PDG | N | 112 | AC,P5V |
| Dyna-Gro | D54VC34RIB | VT2P | N | 114 | AC,P5V |
| Four Star | EXP 2264 | TRE | Y | 112 | AC,P2 |
| Four Star | EXP 2272 | VT2P | Y | 114 | AC,P5V,EDC-EL |
| Four Star | EXP 2277 | TRE | Y | 115 | AC,P5V,EDC-EL |
| Golden Harvest | G11V76-D | D | Y | 111 | AVC,C2,CM,C5,Vi,Va |
| Golden Harvest | G15J91-V | V | Y | 115 | AVC,C2,CM,C5,Vi,Va |
| Hefty | H6132 | VT2P | N | 111 | HC |
| Hefty | H6145 TRERIB | TRE | Y | 111 | HC |
| Hefty | H6263 | VT2PDG | N | 112 | HC |
| Hefty | H6355 | TRE | N | 113 | HC |
| Hefty | H6532 VT2PRIB | VT2P | Y | 115 | HC |
| Heine | 8260 | STX | N | 112 | AC,P5V |
| Heine | 8370 | VT2PDG | N | 113 | AC,P5V |
| Heine | 8420VT2PRIB | VT2P | Y* | 114 | AC,P2 |
| Heine | 844VT2PRIB | VT2P | Y | 112 | AC,P5V,EDC-EL |
| Heine | 8530 VT2P | VT2P | N | 115 | AC,P5V,EDC-EL |
| Hoegemeyer | 8303 AM | AM | Y | 113 | Lum |
| Hoegemeyer | 8370 AM | AM | Y | 113 | Lum, L1 |
| Hoegemeyer | 8454 Q | QR | Y | 114 | Lum, L1 |
| Innotech | IC6350-5222 | DV | Y | 113 | AVC,C5,Vi,Va |
| Innactivis | A1192 | STX | N | 111 | AC,P5V,EDC-B |
| Integra | 6284 VT2PRIB | VT2P | Y | 112 | AC,P5V,SU+Zn |
| Integra | 6410 VT2PRIB | VT2P | Y | 114 | AC,P5V,SU+Zn |
| Integra | 6555 VT2PRIB | VT2P | Y | 115 | AC,P5V,SU+Zn |
| Integra | 6588 VT2PRIB | VT2P | Y | 115 | AC,P5V,SU+Zn |
| NK Brand | NK1188-D | D | Y | 111 | AVC,C2,CM,C5,Vi,Va |
| NK Brand | NK1523-V | V | Y | 115 | AVC,C2,CM,C5,Vi,Va |
| Pioneer | P1185AM GC | AM | Y | 111 | Lum |
| Pioneer | P1197AM CK | AM | Y | 111 | Lum, L1 |
| Pioneer | P1244AM GC | AM,AQ | Y | 112 | Lum, L1 |
| ProHarvest | 82P29 VT2PRIB | VT2P | Y | 112 | AC,P2 |
| ProHarvest | 8360 VT2PRIB | VT2P | Y | 113 | AC,P2 |
| ProHarvest | 83P33 DGVT2PRIB | VT2PDG | Y | 113 | AC,P2 |
| ProHarvest | 84P78 TRERIB | TRE | Y | 114 | AC,P2 |
| Renk | RK895DGV2P | VT2PDG | N | 113 | AC,P2 |
| Renk | RK907SSTX | STX | N | 115 | AC,P5V |
| Renk | RK915VT2P | VT2P | N | 115 | AC,P2 |
| Renk | RK940SSTX | STX | N | 115 | AC,P5V |

| Company/Brand | Brand/Product | Technology | RIB | RM | Seed Treat. |
|---------------|---------------|------------|-----|-----|--------------|
| Renk | RK958VT2P | VT2P | N | 115 | AC,P2 |
| Rob-See-Co | RC6170-5122 | D | Y | 111 | AVC,C2,Vi,Va |
| Wyffels | W7536DGRIB | VT2PDG | Y | 112 | AC,P2 |
| Wyffels | W7876RIB | VT2P | Y | 114 | AC,P2 |
| Wyffels | W7945 | TRE | N | 114 | AC,P2 |
| Wyffels | W8306 | VT2P | N | 115 | AC,P2 |

* FIRST does not inspect products for refuge blend. N* indicates the product was entered without a refuge component by the sponsoring seed company. Prior year entries may contain refuge blend.

Footnotes and Abbreviations Descriptions

Brand Footnotes

| | |
|----|--|
| ^ | Innotech™ brand seed is distributed by Rob-See-Co, LLC. Power Plus® brand seed is distributed by Burrus. Innotech™ is a trademark of Syngenta. Power Plus® is a registered trademark of Corteva Agriscience. |
| CK | Identifies a check product included in early- and full-season tests. |
| GC | Grower Comparison product included by FIRST when space permits. |

Corn Technologies

| | |
|--------|---|
| AA | Agrisure® Above (CB,HX,LL,GT), formerly Agrisure® 3120 |
| AM | Optimum® AcreMax® |
| AQ | Optimum® AQUAmax® |
| D | Duracade™ (CB,HX,RW,RW2,LL,GT), formerly Agrisure Duracade® 5122 |
| DV | DuracadeViptera™ (Vip,CB,HX,RW,RW2,LL,GT), formerly Agrisure Duracade® 5222 |
| E | Enlist™ (2,4-D, glyphosate, fop herbicide tolerance) |
| PC | PowerCore™ |
| QR | Qrome™ |
| STX | SmartStax® |
| TRE | Trecepta® |
| V | Viptera™ (Vip,CB,HX,LL,GT), formerly Agrisure Viptera® 3220 |
| VT2P | VT Double PRO® |
| VT2PDG | VT Double PRO® DroughtGard® |

NOTE: The refuge component genetics may vary in a refuge blend seed product.

Corn Seed Treatments*

| | |
|--------------------|--|
| NA | Not Available |
| AC,P2 | Acceleron® 250 |
| AC,P5 | Acceleron® 500 |
| AC,P5,B360 | Acceleron® 500 with BioRise™ B-360 ST |
| AC,P5V | Acceleron® Poncho 500/Votivo |
| AC,P5V,EDC-B | Acceleron® BASIC Poncho 500/Votivo with Enhanced Disease Control |
| AC,P5V,EDC-EL | Acceleron® ELITE Poncho 500/Votivo with Enhanced Disease Control |
| AC,P5V,SU+Zn | Acceleron® Poncho 500/Votivo, StepUp SP, StepUp Zn |
| AVC,C2 | Avicta® Complete 250 |
| AVC,C2,CM,C5,Vi,Va | Avicta® Complete 250, CruiserMaxx 500, Vibrance®, Vayantis® |
| AVC,C2,Vi,Va | Avicta® Complete 250, Vibrance®, Vayantis® |
| AVC,C5,Vi,Va | Avicta Complete 500, Vibrance, Vayantis |
| CM,C2 | CruiserMaxx® 250 |
| CM,C2,Vi | CruiserMaxx® 250 with Vibrance |
| HC | Hefty Complete |
| Lum | LumiGEN™ (Corteva Agriscience) |
| Lum, L1 | (2022) LumiGEN, Lumisure 1250 |
| P5V | Poncho 500/Votivo |
| Treated | Treated seed, unspecified |

* Seed treatments may include unspecified plant health promoting components.